

OUXI

ISO9001
Bicycle Manufacturer

ONWARD

UNLEASH X-TREME INNOVATION

Fatbike Industry Leader
Since 2010

Shenzhen Huatuomingtong Technology Co., LTD

Add: Shenzhen,China

Huizhou Huasheng Technology Co., Ltd

Add: HuiZhou,China

TEL: 0086-755-28039739

Fax: 0086-755-22745899

Website

Alibaba01



Alibaba02






Alibaba03



OUXI

Overseas warehouse

(Europe,Brazil,USA,Australia,Turkey,Korea,UK,Mexico,Canada,Russia)



Company Introduction

Shenzhen Huatuomingtong Technology CO.,LTD was established in 2010, with 30,000+ square-meter factory which is qualified with ISO9001 certification, specialized in design and manufacture of Fat bikes, our brand OUXI was the best known fat bike brand in Netherlands and Brazil markets. Now we have built warehouses in EU,USA, Canada,Russia,Mexico,Brazil,Australia and we have repair centers around there for better after-sales services. In the future, we will establish the relevant oversea companies to provide more competitive products and convenient logistics services for our business partners.



GT20
20inches



Model	GT20	Charge time	Approx 7 hours(for 15AH)
Battery	48V 15~30AH lithium-ion	Net weight	50kg
Motor rated power	500W~1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	40-100km
Product dimensions	158*29*88cm	Range using pedal assist mode	40-120km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	178pcs



GT20
20inches



Model	GT20	Charge time	Approx 7 hours(for 15AH)
Battery	48V 15~30AH lithium-ion	Net weight	50kg
Motor rated power	500W~1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	40-100km
Product dimensions	158*29*88cm	Range using pedal assist mode	40-120km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	178pcs

Best-Selling
in USA Market

GT2000 24inches



Model	GT2000	Charge time	Approx 7 hours(for 15AH)
Battery	48V 15~30AH lithium-ion	Net weight	53.2 kg
Motor rated power	1500W~3000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	40-100km
Product dimensions	158*29*88cm	Range using pedal assist mode	40-120km
Wheel size	24 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	178pcs

Best-Selling
in USA Market

GT2000 24inches



Model	GT2000	Charge time	Approx 7 hours(for 15AH)
Battery	48V 15~30AH lithium-ion	Net weight	53.2 kg
Motor rated power	1500W~3000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	40-100km
Product dimensions	158*29*88cm	Range using pedal assist mode	40-120km
Wheel size	24 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	178pcs

Ultra Version
Of Top
Selling Model

V8 Ultra 20inches



Model	V8 Ultra	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	45kg
Motor rated power	250W(EU) / 500W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	55-60km
Product dimensions	138*28*88cm	Range using pedal assist mode	75-80km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Ultra Version
Of Top
Selling Model

V8 Ultra Max 20inches



Model	V8 Ultra Max	Charge time	Approx 14 hours
Battery	2*48V 15AH lithium-ion	Net weight	50.5kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	110-120km
Product dimensions	138*28*88cm	Range using pedal assist mode	140-155km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Best-Selling
in Brazil
Market

V8 Pro 20inches



Model	V8 Pro 20 inch	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	43.5kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	161*117*85cm	Range using pedal assist mode	60-65km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Best-Selling
in Brazil
Market

V8 Pro 24inches



Model	V8 Pro 24 inch	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	45.9kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	181*124*93cm	Range using pedal assist mode	60-65km
Wheel size	24 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs



V8 20inches



Model	V8	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	39.5kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	165*70*110cm	Range using pedal assist mode	60-65km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs



V8 Max 20inches



Model	V8 Max(Double battery)	Charge time	Approx 14 hours
Battery	48V 30AH lithium-ion	Net weight	44.5kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	80-120km
Product dimensions	165*70*110cm	Range using pedal assist mode	120-130km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Double Suspension
Classic Design

H9 20inches



Model	H9	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	40.5kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	165*110*70cm	Range using pedal assist mode	60-65km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Double Suspension
Mini fatbike

H9 Mini 16inches



Model	H9 Mini	Charge time	Approx 7 hours
Battery	36V 15AH lithium-ion	Net weight	32kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	145*110*66CM	Range using pedal assist mode	60-65km
Wheel size	16 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Best Selling
Mini fatbike

V8 Mini 16 inches



Model	V8 Mini	Charge time	Approx 5 hours
Battery	36V 10.4AH lithium-ion	Net weight	31kg
Motor rated power	250W(EU) / 350W	Max Load	120kg
Motor type	Brushless DC hub motor	Max speed	25km/h
Frame material	Steel	Range using throttle mode	30-35km
Product dimensions	146*106*66cm	Range using pedal assist mode	40-45km
Wheel size	16 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	244pcs

Double Suspension
Mini fatbike

V8 Ultra Mini 16 inches



Model	V8 Ultra Mini	Charge time	Approx 5 hours
Battery	36V 10.4AH lithium-ion	Net weight	31kg
Motor rated power	250W(EU) / 350W	Max Load	120kg
Motor type	Brushless DC hub motor	Max speed	25km/h
Frame material	Steel	Range using throttle mode	30-35km
Product dimensions	128*29*79cm	Range using pedal assist mode	40-45km
Wheel size	16 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	244pcs

TOP ONE Selling
Lady City bike

Q8-S
20inches



Model	Q8-S	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	45kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	55-60km
Product dimensions	175*125*70cm	Range using pedal assist mode	65-75km
Wheel size	20 inch	Brakes	Hydraulic brake
Suspension	Front & Rear suspension	40HQ(PCS)	195pcs

TOP ONE Selling
Lady City bike

Q8-S
20inches



Model	Q8-S	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	45kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	55-60km
Product dimensions	175*125*70cm	Range using pedal assist mode	65-75km
Wheel size	20 inch	Brakes	Hydraulic brake
Suspension	Front & Rear suspension	40HQ(PCS)	195pcs

Classic
Lady
City Bike

Q9
20inches



Model	Q9	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	45kg
Motor rated power	250W(EU) / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-65km
Product dimensions	145*28.5*88cm	Range using pedal assist mode	65-75km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	195pcs

Double Seat
Lady
City Bike

Q9
20inches



Model	Q9	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	45kg
Motor rated power	250W(EU) / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-65km
Product dimensions	145*28.5*88cm	Range using pedal assist mode	65-75km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	195pcs

Classic
Cargo Bike

Q10 20inches



Model	Q10	Charge time	Approx 7 hours
Battery	48V 12.5AH lithium-ion	Net weight	51kg
Motor rated power	250W(EU) / 500W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	165*110*70cm	Range using pedal assist mode	60-65km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	172pcs

Double Seat
Foldable
City Bike

Q11 20inches



Model	Q11	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	40.5kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	165*110*70cm	Range using pedal assist mode	60-65km
Wheel size	20 inch	Brakes	Front&rear Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Classic Design
City Fatbike

C63 20inches



Model	C63	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	34kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	165*70*110cm	Range using pedal assist mode	60-65km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Double Suspension
City Fatbike

C63 Pro 20inches



Model	C63 Pro	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	34kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	165*70*110cm	Range using pedal assist mode	60-65km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs

Best selling
In Italy
And Turkey

X8 20inches



Model	X8	Charge time	Approx 7 hours
Battery	48V 15AH lithium-ion	Net weight	35kg
Motor rated power	250W(EU) / 750W / 1000W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	50km/h
Frame material	Aluminum alloy	Range using throttle mode	55-60km
Product dimensions	140*70*20cm	Range using pedal assist mode	65-70km
Wheel size	20 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	215pcs

OUXI

Foldable
Fatbike

V9 20inches



Model	V9	Charge time	Approx 6 hours
Battery	48V 15AH lithium-ion	Net weight	31kg
Motor rated power	250W(EU) / 500W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	25km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	170*108*66cm	Range using pedal assist mode	60-65km
Carton Size	145*28*66cm	Brakes	Mechanic brake
IP Rating	IP54	40HQ(PCS)	260pcs

OUXI



V2
26inches



Model	V2	Charge time	Approx 5 hours
Battery	36V 10.4AH lithium-ion	Net weight	30kg
Motor rated power	250W(EU) / 500W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	32km/h
Frame material	Steel	Range using throttle mode	35-40km
Product dimensions	145*23*77cm	Range using pedal assist mode	50-60km
Wheel size	26 inch	Brakes	Mechanical brake
IP Rating	IP54	40HQ(PCS)	268pcs



V10
26inches



Model	V10	Charge time	Approx 6 hours
Battery	36V 10.4AH lithium-ion	Net weight	30kg
Motor rated power	250W(EU) / 500W	Max Load	150kg
Motor type	Brushless DC hub motor	Max speed	32km/h
Frame material	Steel	Range using throttle mode	50-55km
Product dimensions	179*70*122cm	Range using pedal assist mode	60-65km
Wheel size	26 inch	Brakes	Hydraulic brake
IP Rating	IP54	40HQ(PCS)	203pcs



S73 14inches



Model	S73	Charge time	Approx 4 hours
Battery	24V 10.4AH lithium-ion	Net weight	20.5kg
Motor rated power	250W	Max Load	120kg
Motor type	Brushless DC hub motor	Max speed	25km/h
Frame material	Steel	Range using throttle mode	20-30km
Carton size	104*23*61cm	Wheel size	14 inch
Brakes	Mechanical brake	40HQ(PCS)	490pcs



S73 Max 14inches



Model	S73 Max	Charge time	Approx 5 hours
Battery	36V 10.4AH lithium-ion	Net weight	23.3kg
Motor rated power	250W(EU) / 500W	Max Load	120kg
Motor type	Brushless DC hub motor	Max speed	25km/h(EU)/ 40km/h
Frame material	Steel	Range using throttle mode	35-40km
Carton size	104*23*61cm	Wheel size	14 inch
Brakes	Mechanical brake	40HQ(PCS)	450pcs

Professional And Comprehensive Certifications



Professional And Comprehensive Certifications



Worldwide Design Patents For All Models



Worldwide Design Patents For All Models

